TAOGLAS®



TES5BLK4.380

Connector

Outdoor RJ45 Socket adapter

- Compatible with Thunder Series Antenna Enclosures
- Suitable For Use With Most Router
- Robust IP67 Rated Enclosure

© Taoglas 2026

Contents

Page:	Section:
3	Introduction
4	Mechanical Specifications
4	Dimensions

Ireland & USA ISO 9001:2015 Certified

Taiwan ISO 9001:2015 Certified

IATF16949

Taoglas makes no warranties based on the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Taoglas reserves all rights to this document and the information contained herein. Reproduction, use or disclosure to third parties without express permission is strictly prohibited.

© Taoglas 2026

TES5BLK4.380

IP67 Rated OUTDOOR RJ45 Socket Adapter

The **TES5BLK4.380** is a rugged **outdoor RJ45 socket adapter** designed to provide reliable Ethernet connectivity in demanding environments. Featuring a robust **IP67-rated** waterproof design, it supports 10/100/1000 Mbps Gigabit Ethernet networks and is compatible with a wide range of industrial and commercial routers. With a standard **cable length of 380 mm**, the adapter integrates seamlessly with Taoglas Thunder Series antenna enclosures, delivering secure, weather-resistant network connections for outdoor deployments.

Key Features:

- IP67-rated waterproof outdoor RJ45 socket adapter
- Supports 10/100/1000 Mbps Gigabit Ethernet networks
- Standard 380 mm cable length
- Compatible with Taoglas Thunder Series antenna enclosures
- Suitable for use with most routers and networking equipment
- Rugged design for harsh outdoor environments
- Reliable protection against water, dust, and environmental exposure



© Taoglas 2026

MECHANICAL SPECIFICATION

CONNECTOR TYPE	8P8C Plug
CABLE LENGTH	380 mm
INGRESS PROTECTION	IP67
8P8C PLUG CONNECTOR MATERIALS	Internal contants material: Copper alloy Internal contact finishing: Gold
ETHERNET CABLE TYPE	Categary CAT5E
WIRE THICKNESS AND TYPE	24 AWG, Stranded
SHIELDING	STP

DIMENSIONS



A (1 : 1)

© Taoglas 2026